

HTS Poly Pump

Compact Joint pump. Engineered with Direct Drive Technology, this pump offers efficiency and reliability.

- Direct Drive Technology
- 10-Gallon Capacity
- Installs up to 7,000 LF Per Day
- Low Hopper Height
- 15-Foot Hose
- Integrated Handle Controls
- Front shelf for generator or power rack
- *Available with a Lithium-Ion power pack



Slurry Magnet

Slurry Magnet offers an economical and fast way to safely manage concrete slurry from wet grinding of polished concrete floors; core drilling and any other circumstances related to the need of solidifying and disposing of concrete slurry.

- Passed EPA 9095B paint filler test for landfill disposal.
- Absorbs 100-1000 times its mass in water, the amount varies based on thickness of slurry and water rates.
- Extremely fast acting aiding in the reduction of labor costs.
- Slurry Magnet is completely non-hazardous.
- Low to no dust during application



Instructions for use:

Collect slurry by your preferred method. This can include using a squeegee to collect in a puddle or pile on the floor or pumping/shoveling into a container.

Apply sufficient product and mix or stir. If additional product is needed, repeat. Product amount will vary based on thickness of slurry. The more water or liquid, additional product is needed, repeat. Product amount will vary based on thickness of slurry. The more water or liquid, additional product is needed. Dryer slurry requires less material.

Place in trash bags, or container of choice ready for pickup or hauling to a landfill. Always ensure you meet disposal regulations.



Blended Silicate Densifiers:

- Helps reduce slab dusting
- Increases abrasion resistance
- Makes for a more durable, wearable surface
- Penetrates concrete at different levels ensuring more even hardening of the wear surface

ITEM	PRODUCT	DESCRIPTION
	PRO-LINE LOW SOLIDS LITHIUM SILICATE CONCRETE DENSIFIER	HELPS REDUCE SLAB DUSTING. INCREASES ABRASION RESISTANCE. MAKES FOR A MORE DURABLE, WEAR SURFACE.
	PRO-LINE BLENDED CONCRETE DENSIFIER	HELPS REDUCE SLAB DUSTING INCREASES ABRASION RESISTANCE MAKES FOR A MORE DURABLE, WEAR SURFACE PENETRATES CONCRETE AT DIFFERENT LEVELS ENSURING MORE EVEN HARDENING OF THE WEAR SURFACE
	HIGH SOLIDS LITHIUM	OVER 20% SOLIDS DENSIFIER / SEALER IDEAL FOR TYPE 1L CEMENT IDEAL FOR EXTREMELY SOFT CONCRETE



Concrete Guards / Sealers

- Protect and prolong the life of concrete slabs
- Designed for interior concrete slabs
- Easy to apply
- Improves the look and durability of concrete slabs

ITEM	PRODUCT	DESCRIPTION
	PRO-SHINE CONCRETE GUARD	PRO-SHINE CONCRETE GUARD IS A STAIN AND WEAR RESISTANT SEALER. PRO-SHINE CONCRETE GUARD WILL IMPROVE THE SHINE AND DURABILITY OF CONCRETE, TERRAZZO, AND OTHER SURFACES. PRO-SHINE CONCRETE GUARD IS A WATER BASED, LITHIUM-FORTIFIED SEMI-PENETRATING PROTECTANT.
	PRO-SHINE PSP PENETRATING STAIN PROTECTANT	PRO-SHINE PSP IS A SOLVENT-BASED FULLY PENETRATING STAIN PROTECTOR. PRO-SHINE PSP PROVIDES A BREATHABLE PROTECTIVE BARRIER THAT SEALS AND REPELS, HELPING TO RESIST STAINING AND CREATING AN EASY-TO-CLEAN SURFACE.
	PRO-SEAL ACRYLIC SEALER	PRO-SEAL IS A ONE-COMPONENT WATER-BASED ACRYLIC SEALER OR CLEAR COAT. IT IS SELF-CROSSLINKING, ALIPHATIC, AND IS LOW ODOR, CONTAINING LESS THAN 75 G/L VOC'S. IT IS A LIGHT-STABLE ACRYLIC THAT WON'T CHALK OR YELLOW WITH EXPOSURE TO SUNLIGHT. PRO-SEAL HAS A LOW VISCOSITY THAT CAN BE SPRAYED OR ROLLER APPLIED.

Scofield Formula One Liquid Dye Concentrate

A penetrating, translucent dye concentrate designed to color interior concrete surfaces prior to being sealed, densified, or polished.

SCOFIELD® Formula One™ Liquid Dye Concentrate is a solvent soluble dye for coloring interior concrete surfaces. Designed for easy job-site dilution with acetone, the diluted material will penetrate into the pores of properly prepared new or old concrete. It can be applied lightly to gently tone surfaces, or applied heavily to develop deep colors. Variations in application technique and topcoat selection can produce color effects that range from rich paint like jewel tones to light variegated natural effects. SCOFIELD® Formula One™ Liquid Dye Concentrate is not designed as a stand-alone floor finish. After application it must be locked into the concrete with a premium concrete densifier prior to polishing, or sealed with a protective coating

- Quick dry formula minimizes job delays.
- VOC exempt carrier allows for immediate dilution in acetone or alcohol blend.
- Resistant to color bleed from water based sealers & topcoats.
- Contains one of the highest pigment loads in the industry, providing a richer, more vibrant color.



Formula One Dye Chart

				
1255 Aztec Red	1245 Leather	6085 Winter Sunset	4135 Merlot	1395 Driftwood
				
1435 Inca Gold	3935 Ponderosa	1335 Beach Sand	4405 Rustic Bark	2045 Georgia Clay
				
3055 Storm Cloud	1445 Cold Steel	2145 Grecian Gray	4915 Slash Pine	1330 Aquamarine
				
1385 Douglas Fir	5195 Snow Pea	1995 Frost Green	1705 Emerald Green	1275 Bahama Blue
				
G388 Soft Gray	0510 Black			

Prosoco Chemical



ITEM: PRO.LSGUARD.5G
LS Guard

Consolideck LSGuard is a copolymer formulation that improves the surface sheen and stain resistance of conventional concrete, hardened concrete or cement terrazzo floors. Ideal for application to standard gray or colored concrete, LSGuard protects and enhances the color intensity of integrally colored and color stained concrete. Consolideck LSGuard provides a long lasting, high gloss finish that eliminates the need for floor waxes, liquid polishes and conventional resin based coatings. LSGuard will not trigger or contribute to surface ASR (Alkali Silicate Reaction).



ITEM: PRO.LS.5G
LS Densifier

LS Premium concrete sealer, hardener & densifier
LS is a premium concrete flooring sealer, hardener and densifier that improves performance, appearance and light reflectance of new or old concrete. Treated surfaces resist damage from water and surface abrasion, are easy to maintain and require no waxing. The increased surface hardness imparted by LS eliminates dusting and simplifies maintenance, producing a cleaner, healthier environment. Application is easy with one step, and involves no scrubbing, flushing or caustic wastewater.



ITEM: PRO.DK.1G
LS Daily Klean

DailyKlean Economical daily maintenance cleaner for concrete floors
DailyKlean removes most common soiling from concrete floors while maintaining their shine. Specifically designed for the unique surface chemistry of concrete floors, DailyKlean can be used as part of a comprehensive maintenance program to make concrete flatwork look better and last longer. DailyKlean is also safer for workers and the environment than conventional cleaning formulations and has been recognized by the EPA's Safer Choice program.



ITEM: PRO.OIL.REMOVER
Prosoco Oil and Grease Stain Remover

Oil & Grease Stain Remover
Poultice cleaner for embedded oil and grease stains
Oil & Grease Stain Remover is a poultice cleaner for pulling stubborn oil and grease stains out of pavers, concrete, stone and other porous surfaces. After pouring Oil & Grease Stain Remover onto an embedded stain, it spreads out to make an instant poultice – no mixing, troweling, plastic covering or tape needed. As the poultice dries, it pulls the contaminants out of the substrate.

Gemtone Dye Color Chart

Penetrating translucent color dye for interior concrete floors

GemTone Stain is a penetrating translucent color dye for interior concrete floors. It transforms dull grey concrete into decorative, low-maintenance finished concrete flooring and penetrates deeper than acid stains or conventional color pigments. GemTone Stain colors will not peel or flake, and are safe to use in occupied spaces.

 RUBY RED	 ROSE QUARTZ	 GEORGIA CLAY	 RED ROCK	 PAINTED DESERT
 CARIBBEAN BLUE	 OCEAN BLUE	 AMETHYST	 COPPER PATINA	 EMERALD
 SERPENTINE	 BLUESTONE	 MOCHA	 AMBER	 DESERT SAND
 BRONZE	 ANTIQUE CORK	 BROWNSTONE	 LIGHT ROAST	 ESPRESSO
 DARK BROWN	 CONCRETE GRAY	 WELSH SLATE	 BLACK	 ONYX